



SCREW SLOTTING SAWS

Code	O/D	Width	Bore	Teeth	\$ ea.
S510-1006	1.3/4	0.006	5/8	90	77.02
S510-1008	1.3/4	0.008	5/8	90	77.02
S510-1010	1.3/4	0.010	5/8	90	65.49
S510-1012	1.3/4	0.012	5/8	90	65.49
S510-1014	1.3/4	0.014	5/8	90	65.49
S510-1016	1.3/4	0.016	5/8	90	54.34
S510-1018	1.3/4	0.018	5/8	90	54.34
S510-1020	1.3/4	0.020	5/8	90	54.34
S510-1023	1.3/4	0.023	5/8	90	54.34
S510-1025	1.3/4	0.025	5/8	90	54.34
S510-1028	1.3/4	0.028	5/8	90	54.34
S510-1032	1.3/4	0.032	5/8	90	54.34
S510-1035	1.3/4	0.035	5/8	90	54.34
S510-1040	1.3/4	0.040	5/8	90	54.34
S510-1045	1.3/4	0.045	5/8	90	54.34
S510-1051	1.3/4	0.051	5/8	90	54.34
S510-1057	1.3/4	0.057	5/8	90	54.34
S510-1064	1.3/4	0.064	5/8	90	66.92
S510-1072	1.3/4	0.072	5/8	90	66.92
S510-1081	1.3/4	0.081	5/8	90	74.75
S510-1091	1.3/4	0.091	5/8	90	74.75
S510-1102	1.3/4	0.102	5/8	90	82.23
S510-1114	1.3/4	0.114	5/8	90	82.23

Code	O/D	Width	Bore	Teeth	\$ ea.
S510-3006	2.1/4	0.006	5/8	60	83.09
S510-3008	2.1/4	0.008	5/8	60	83.09
S510-3010	2.1/4	0.010	5/8	60	83.09
S510-3012	2.1/4	0.012	5/8	60	83.09
S510-3014	2.1/4	0.014	5/8	60	83.09
S510-3016	2.1/4	0.016	5/8	60	83.09
S510-3018	2.1/4	0.018	5/8	60	83.09
S510-3020	2.1/4	0.020	5/8	60	83.09
S510-3023	2.1/4	0.023	5/8	60	83.09
S510-3025	2.1/4	0.025	5/8	60	83.09
S510-3028	2.1/4	0.028	5/8	60	83.09
S510-3032	2.1/4	0.032	5/8	60	83.09
S510-3035	2.1/4	0.035	5/8	60	83.09
S510-3040	2.1/4	0.040	5/8	60	83.09
S510-3045	2.1/4	0.045	5/8	60	83.09
S510-3051	2.1/4	0.051	5/8	60	83.09
S510-3057	2.1/4	0.057	5/8	60	83.09
S510-3064	2.1/4	0.064	5/8	60	83.09
S510-3072	2.1/4	0.072	5/8	60	83.09
S510-3081	2.1/4	0.081	5/8	60	83.09
S510-3091	2.1/4	0.091	5/8	60	83.09
S510-3102	2.1/4	0.102	5/8	60	83.09
S510-3114	2.1/4	0.114	5/8	60	83.09



SCREW SLOTTING SAWS

Code	O/D	Width	Bore	Teeth	\$ ea.
S510-5006	2.3/4	0.006	1"	72	89.98
S510-5008	2.3/4	0.008	1"	72	89.98
S510-5010	2.3/4	0.010	1"	72	89.98
S510-5012	2.3/4	0.012	1"	72	89.98
S510-5014	2.3/4	0.014	1"	72	71.08
S510-5016	2.3/4	0.016	1"	72	71.08
S510-5018	2.3/4	0.018	1"	72	71.08
S510-5020	2.3/4	0.020	1"	72	71.08
S510-5023	2.3/4	0.023	1"	72	71.08
S510-5025	2.3/4	0.025	1"	72	71.08
S510-5028	2.3/4	0.028	1"	72	71.08
S510-5032	2.3/4	0.032	1"	72	71.08
S510-5035	2.3/4	0.035	1"	72	71.08
S510-5036	2.3/4	0.036	1"	72	71.08

Code	O/D	Width	Bore	Teeth	\$ ea.
S510-5040	2.3/4	0.040	1"	72	71.08
S510-5045	2.3/4	0.045	1"	72	71.08
S510-5051	2.3/4	0.051	1"	72	71.08
S510-5057	2.3/4	0.057	1"	72	85.09
S510-5064	2.3/4	0.064	1"	72	85.09
S510-5072	2.3/4	0.072	1"	72	85.09
S510-5081	2.3/4	0.081	1"	72	85.09
S510-5091	2.3/4	0.091	1"	72	85.09
S510-5102	2.3/4	0.102	1"	72	92.00
S510-5114	2.3/4	0.114	1"	72	92.00
S510-5128	2.3/4	0.128	1"	72	106.23
S510-5144	2.3/4	0.144	1"	72	106.23
S510-5162	2.3/4	0.162	1"	72	145.36
S510-5182	2.3/4	0.182	1"	72	145.36



HSS SLITTING SAWS - FINE PITCH

Code	O/D	Width	Bore	Teeth	\$ ea.
S578-25135	2.1/2	1/64	1"	62	71.13
S578-25312	2.1/2	1/32	1"	62	60.58
S578-25469	2.1/2	3/64	1"	62	58.55
S578-25625	2.1/2	1/16	1"	62	69.70
S578-25938	2.1/2	3/32	1"	62	82.23
S578-25125	2.1/2	1/8	1"	62	88.60
S578-25156	2.1/2	5/32	1"	62	124.06
S578-25250	2.1/2	1/4	1"	62	139.49

S578-30135	3"	1/64	1"	74	68.30
S578-30312	3"	1/32	1"	74	68.30
S578-30469	3"	3/64	1"	74	85.82
S578-30625	3"	1/16	1"	74	85.82
S578-30781	3"	5/64	1"	74	96.23
S578-30938	3"	3/32	1"	74	96.19
S578-30125	3"	1/8	1"	74	110.75
S578-30156	3"	5/32	1"	74	129.79
S578-30187	3"	3/16	1"	74	153.34
S578-30218	3"	7/32	1"	74	153.34
S578-30250	3"	1/4	1"	74	153.34

S578-30301	3"	1.0mm	1"	74	83.87
------------	----	-------	----	----	--------------

S578-40135	4"	1/64	1"	100	101.19
S578-40312	4"	1/32	1"	100	89.98
S578-40469	4"	3/64	1"	100	104.54
S578-40625	4"	1/16	1"	100	104.54
S578-40781	4"	5/64	1"	100	131.05
S578-40938	4"	3/32	1"	100	131.05
S578-40109	4"	7/64	1"	100	153.34
S578-40125	4"	1/8	1"	100	153.34
S578-40156	4"	5/32	1"	100	184.01
S578-40187	4"	3/16	1"	100	214.66

Code	O/D	Width	Bore	Teeth	\$ ea.
S578-40250	4"	1/4	1"	100	250.93

S578-40401	4"	1.0mm	1"	100	106.58
------------	----	-------	----	-----	---------------

S578-50312	5"	1/32	1"	124	150.56
S578-50469	5"	3/64	1"	124	150.56
S578-50625	5"	1/16	1"	124	152.10
S578-50938	5"	3/32	1"	124	184.01
S578-50125	5"	1/8	1"	124	214.66
S578-50156	5"	5/32	1"	124	253.71
S578-50187	5"	3/16	1"	124	301.10
S578-50250	5"	1/4	1"	124	349.74

S578-60312	6"	1/32	1"	150	206.32
S578-60469	6"	3/64	1"	150	213.34
S578-60625	6"	1/16	1"	150	231.41
S578-60938	6"	3/32	1"	150	245.00
S578-60125	6"	1/8	1"	150	287.17
S578-60187	6"	3/16	1"	150	339.58
S578-60250	6"	1/4	1"	150	407.23

S578-80625	8"	1/16	1"	200	468.67
S578-80938	8"	3/32	1"	200	468.67
S578-80125	8"	1/8	1"	200	510.65
S578-80157	8"	3/16	1"	200	540.05
S578-80250	8"	1/4	1"	200	575.81

S578-10625	10"	1/16	1"	250	491.54
S578-10125	10"	1/8	1"	250	551.24

S578-12625	12"	1/16	1"	300	518.29
S578-12125	12"	1/8	1"	300	592.64



HSS SLITTING SAWS - COARSE PITCH

Code	O/D	Width	Bore	Teeth	\$ ea.
S579-25135	2.1/2	1/64	1"	26	71.13
S579-25312	2.1/2	1/32	1"	26	60.58
S579-25469	2.1/2	3/64	1"	26	58.55
S579-25625	2.1/2	1/16	1"	26	69.70
S579-25938	2.1/2	3/32	1"	26	82.23
S579-25125	2.1/2	1/8	1"	26	88.60
S579-25156	2.1/2	5/32	1"	26	124.06
S579-25250	2.1/2	1/4	1"	26	139.49
S579-30135	3"	1/64	1"	30	68.30
S579-30312	3"	1/32	1"	30	68.30
S579-30469	3"	3/64	1"	30	85.82
S579-30625	3"	1/16	1"	30	85.82
S579-30781	3"	5/64	1"	30	96.23
S579-30938	3"	3/32	1"	30	96.19
S579-30125	3"	1/8	1"	30	110.75
S579-30156	3"	5/32	1"	30	129.79
S579-30187	3"	3/16	1"	30	153.34
S579-30218	3"	7/32	1"	30	153.34
S579-30250	3"	1/4	1"	30	153.34
S579-40135	4"	1/64	1"	36	101.19
S579-40312	4"	1/32	1"	36	89.98
S579-40469	4"	3/64	1"	36	104.54
S579-40625	4"	1/16	1"	36	104.54
S579-40781	4"	5/64	1"	36	131.05
S579-40938	4"	3/32	1"	36	131.05
S579-40109	4"	7/64	1"	36	153.34
S579-40125	4"	1/8	1"	36	153.34
S579-40156	4"	5/32	1"	36	184.01
S579-40187	4"	3/16	1"	36	214.66
S579-40250	4"	1/4	1"	36	250.93
S579-50312	5"	1/32	1"	40	150.56
S579-50469	5"	3/64	1"	40	150.56
S579-50625	5"	1/16	1"	40	152.10

Code	O/D	Width	Bore	Teeth	\$ ea.
S579-50938	5"	3/32	1"	40	184.01
S579-50125	5"	1/8	1"	40	214.66
S579-50156	5"	5/32	1"	40	253.71
S579-50187	5"	3/16	1"	40	301.10
S579-50250	5"	1/4	1"	40	349.74
S579-60312	6"	1/32	1"	44	206.32
S579-60469	6"	3/64	1"	44	213.34
S579-60625	6"	1/16	1"	44	231.41
S579-60781	6"	5/64	1"	44	231.41
S579-60938	6"	3/32	1"	44	245.00
S579-60125	6"	1/8	1"	44	287.17
S579-60156	6"	5/32	1"	44	335.20
S579-60187	6"	3/16	1"	44	339.58
S579-60218	6"	7/32	1"	44	407.23
S579-60250	6"	1/4	1"	44	407.23
S579-80625	8"	1/16	1"	52	416.60
S579-80781	8"	5/64	1"	52	468.67
S579-80938	8"	3/32	1"	52	468.67
S579-80125	8"	1/8	1"	52	510.65
S579-80156	8"	5/32	1"	52	510.65
S579-80187	8"	3/16	1"	52	510.65
S579-80218	8"	7/32	1"	52	558.47
S579-80250	8"	1/4	1"	52	610.02
S579-10625	10"	1/16	1"	62	491.54
S579-10781	10"	5/64	1"	62	491.54
S579-10938	10"	3/32	1"	62	491.54
S579-10125	10"	1/8	1"	62	509.24
S579-10156	10"	5/32	1"	62	580.42
S579-10187	10"	3/16	1"	62	697.95
S579-10218	10"	7/32	1"	62	739.53
S579-10250	10"	1/4	1"	62	803.75
S579-12125	12"	1/8	1"	70	972.22
S579-12187	12"	3/16	1"	70	1206.19



SINGLE ANGLE CUTTERS - STRAIGHT TOOTH HSS

Code	O/D	Angle	Width	Bore	Teeth	\$ ea.
S49R6-30045	3"	45°	1/2	1"	20	347.64
S49R6-30060	3"	60°	1/2	1"	20	380.70
S49R6-3AB45	3"	45°	5/8	1"	20	380.70
S49R6-3AB60	3"	60°	5/8	1"	20	380.70
S49R6-3AC60	3"	60°	3/4	1"	20	380.70
S49R6-40050	4"	45°	3/4	1"	20	536.44
S49R6-40060	4"	60°	3/4	1"	20	536.44

LEFT HAND SINGLE ANGLE CUTTERS - STRAIGHT TOOTH HSS

Code	O/D	Angle	Width	Bore	Teeth	\$ ea.
S49L6-30045	3"	45°	1/2	1"	20	347.64
S49L6-30060	3"	60°	1/2	1"	20	380.70
S49L6-3AB45	3"	45°	5/8	1"	20	380.70
S49L6-3AB60	3"	60°	5/8	1"	20	380.70
S49L6-3AC60	3"	60°	3/4	1"	20	380.70
S49L6-40050	4"	45°	3/4	1"	20	536.44
S49L6-40060	4"	60°	3/4	1"	20	536.44

EQUAL ANGLE CUTTERS - STRAIGHT TOOTH HSS

Code	O/D	Angle	Width	Bore	Teeth	\$ ea.
S497-30045	3"	45°	1/2	1"	24	438.39
S497-30060	3"	60°	1/2	1"	20	438.39
S497-30090	3"	90°	1/2	1"	20	438.39
S497-3AA60	3"	60°	5/8	1"	20	453.78
S497-3AA90	3"	90°	5/8	1"	20	453.78
S497-3AB60	3"	60°	3/4	1"	18	465.29
S497-3AB90	3"	90°	3/4	1"	18	465.29
S497-40045	4"	45°	3/4	1"	20	563.37
S497-40060	4"	60°	3/4	1"	20	563.37
S497-40090	4"	90°	3/4	1"	20	563.37



SIDE & FACE CUTTERS - STRAIGHT TOOTH HSS

Code	Diameter	Width	Bore	\$ ea.
505S-25187	2.5"	3/16	1"	200.65
505S-25250	2.5"	1/4	1"	208.72
505S-25312	2.5"	5/16	1"	220.11
505S-25375	2.5"	3/8	1"	227.99
505S-25437	2.5"	7/16	1"	234.85
505S-25500	2.5"	1/2	1"	241.67
505S-25625	2.5"	5/8	1"	255.35
505S-30187	3"	3/16	1"	230.07
505S-30250	3"	1/4	1"	232.16
505S-30312	3"	5/16	1"	242.53
505S-30375	3"	3/8	1"	248.73
505S-30437	3"	7/16	1"	254.94
505S-30500	3"	1/2	1"	267.37
505S-30562	3"	9/16	1"	275.87
505S-30625	3"	5/8	1"	277.74
505S-30750	3"	3/4	1"	284.18
505S-40187	4"	3/16	1"	279.81
505S-40250	4"	1/4	1"	296.40
505S-40312	4"	5/16	1"	319.20
505S-40375	4"	3/8	1"	331.62
505S-40437	4"	7/16	1"	348.22
505S-40500	4"	1/2	1"	356.51
505S-40562	4"	9/16	1"	378.47
505S-40625	4"	5/8	1"	393.81

Code	Diameter	Width	Bore	\$ ea.
505S-40750	4"	3/4	1"	429.38
505S-40100	4"	1"	1"	466.43
505S-50187	5"	3/16	1"	370.83
505S-50250	5"	1/4	1"	385.54
505S-50312	5"	5/16	1"	460.56
505S-50375	5"	3/8	1"	470.51
505S-50437	5"	7/16	1"	522.13
505S-50500	5"	1/2	1"	518.18
505S-50562	5"	9/16	1"	551.75
505S-50625	5"	5/8	1"	601.91
505S-50750	5"	3/4	1"	654.35
505S-50875	5"	7/8	1"	715.91
505S-50100	5"	1"	1"	766.07
505S-60187	6"	3/16	1"	528.10
505S-60250	6"	1/4	1"	540.99
505S-60312	6"	5/16	1"	576.19
505S-60375	6"	3/8	1"	601.09
505S-60437	6"	7/16	1"	661.17
505S-60500	6"	1/2	1"	661.17
505S-60562	6"	9/16	1"	688.55
505S-60625	6"	5/8	1"	727.53
505S-60750	6"	3/4	1"	843.61
505S-60875	6"	7/8	1"	1005.26
505S-60100	6"	1"	1"	1007.34



SIDE & FACE CUTTERS - STAGGERED TOOTH - COBALT

Code	Diameter	Width	Bore	\$ ea.
507S-30250	3"	1/4	1"	264.47
507S-30312	3"	5/16	1"	271.32
507S-30375	3"	3/8	1"	289.56
507S-30500	3"	1/2	1"	336.95
507S-30625	3"	5/8	1"	354.26
507S-40250	4"	1/4	1"	364.12
507S-40312	4"	5/16	1"	384.55
507S-40375	4"	3/8	1"	400.03
507S-40500	4"	1/2	1"	429.07
507S-40625	4"	5/8	1"	464.27
507S-40750	4"	3/4	1"	495.18

Code	Diameter	Width	Bore	\$ ea.
507S-50250	5"	1/4	1"	461.33
507S-50312	5"	5/16	1"	482.03
507S-50375	5"	3/8	1"	499.31
507S-50500	5"	1/2	1"	542.63
507S-50625	5"	5/8	1"	592.81
507S-60250	6"	1/4	1"	613.98
507S-60312	6"	5/16	1"	638.10
507S-60375	6"	3/8	1"	675.71
507S-60500	6"	1/2	1"	727.52
507S-60625	6"	5/8	1"	806.28