


CAPITAL


CUTTING TOOLS



GUN NOSE TAPS - METRIC COARSE

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	l_2	l_1	d_1	a	\$ ea.
T108-0254	2.5	0.45	11	48	3.15	2.5	37.06
T108-0305	3.0	0.5	11	48	3.15	2.5	14.27
T108-0356	3.5	0.6	13	50	3.55	2.8	14.27
T108-0402	4.0	0.7	13	53	4	3.15	11.91
T108-0457	4.5	0.75	13	53	4.5	3.55	13.78
T108-0508	5.0	0.8	16	58	5	4	11.32
T108-0610	6.0	1.0	19	66	6.3	5	13.68
T108-0710	7.0	1.0	19	66	7.1	5.6	19.47
T108-0812	8.0	1.25	22	72	8	6.3	14.73
T108-0912	9.0	1.25	22	72	9	7.1	18.03
T108-1015	10	1.5	24	80	10	8	19.55
T108-1115	11	1.5	25	85	8	6.3	29.89
T108-1217	12	1.75	29	89	9	7.1	32.42
T108-1420	14	2.0	30	95	11.2	9	41.99
T108-1620	16	2.0	32	102	12.5	10	52.08
T108-1825	18	2.5	37	112	14	11.2	70.92
T108-2025	20	2.5	37	112	14	11.2	89.81
T108-2225	22	2.5	38	118	16	12.5	96.39
T108-2430	24	3.0	45	130	18	14	116.96
T108-2730	27	3.0	45	135	20	16	132.27
T108-3035	30	3.5	48	138	20	16	197.55
T108-3335	33	3.5	51	151	22.4	18	363.62
T108-3640	36	4.0	57	162	25	20	381.73
T108-3940	39	4.0	60	170	28	22.4	392.12
T108-4245	42	4.5	60	170	28	22.4	409.95
T108-4545	45	4.5	67	187	31.5	25	423.82
T108-4850	48	5.0	67	187	31.5	25	447.57
T108-5250	52	5.0	70	200	35.5	28	493.12
T108-5655	56	5.5	70	200	35.5	28	699.32




GUN NOSE TAPS - METRIC COARSE **LEFT HAND**

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	l_2	l_1	d_1	a	\$ ea.
T118-0402	4.0	0.7	13	53	4	3.15	52.75
T118-0508	5.0	0.8	16	58	5	4	55.14
T118-0610	6.0	1.0	19	66	6.3	5	57.54
T118-0812	8.0	1.25	22	72	8	6.3	62.33
T118-1015	10	1.5	24	80	10	8	71.92
T118-1217	12	1.75	29	89	9	7.1	79.11
T118-1420	14	2.0	30	95	11.2	9	88.70
T118-1620	16	2.0	32	102	12.5	10	105.50
T118-1825	18	2.5	37	112	14	11.2	143.85
T118-2025	20	2.5	37	112	14	11.2	172.62
T118-2225	22	2.5	38	118	16	12.5	184.61
T118-2430	24	3.0	45	130	18	14	198.99
T118-2730	27	3.0	45	135	20	16	227.76
T118-3035	30	3.5	48	138	20	16	258.93
T118-3335	33	3.5	51	151	22.4	18	292.49
T118-3640	36	4.0	57	162	25	20	321.26

CAPITAL

CUTTING TOOLS




GUN NOSE TAPS - METRIC FINE

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	l_2	l_1	d_1	a	\$ ea.
T128-0405	4.0	0.5	13	53	4	3.15	29.85
T128-0505	5.0	0.5	16	58	5	4	32.31
T128-0607	6.0	0.75	19	66	6.3	5	36.01
T128-0609	6.0	0.9	19	66	6.3	5	36.01
T128-0705	7.0	0.5	19	69	8	6.3	40.91
T128-0805	8.0	0.5	19	69	8	6.3	36.77
T128-0807	8.0	0.75	19	69	8	6.3	36.77
T128-0810	8.0	1.0	19	69	8	6.3	28.66
T128-0910	9.0	1.0	19	69	9	7.1	54.65
T128-1007	10	0.75	20	76	10	8	41.01
T128-1010	10	1.0	20	76	10	8	41.01
T128-1012	10	1.25	20	76	10	8	41.01
T128-1107	11	0.75	22	82	8	6.3	66.05
T128-1110	11	1.0	22	82	8	6.3	66.05
T128-1112	11	1.25	22	82	8	6.3	66.05
T128-1207	12	0.75	24	84	9	7.1	59.88
T128-1210	12	1.0	24	84	9	7.1	59.88
T128-1212	12	1.25	24	84	9	7.1	59.88
T128-1215	12	1.5	24	84	9	7.1	59.88
T128-1220	12	2.0	24	84	9	7.1	59.88
T128-1310	13	1.0	29	89	9	7.1	69.07
T128-1315	13	1.5	29	89	9	7.1	69.07
T128-1407	14	0.7	25	90	11.2	9	96.23
T128-1410	14	1.0	25	90	11.2	9	96.23
T128-1412	14	1.25	25	90	11.2	9	70.95
T128-1415	14	1.5	25	90	11.2	9	70.95
T128-1510	15	1.0	30	95	11.2	9	74.78
T128-1515	15	1.5	30	95	11.2	9	74.78
T128-1607	16	0.75	32	102	12.5	10	70.95
T128-1610	16	1.0	32	102	12.5	10	70.95
T128-1612	16	1.25	32	102	12.5	10	70.95
T128-1615	16	1.5	32	102	12.5	10	70.95

CAPITAL

CUTTING TOOLS




GUN NOSE TAPS - METRIC FINE

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	l_2	l_1	d_1	a	\$ ea.
T128-1617	16	1.75	32	102	12.5	10	70.95
T128-1710	17	1.0	37	112	14	11.2	92.85
T128-1715	17	1.5	37	112	14	11.2	92.85
T128-1807	18	0.75	37	112	14	11.2	110.60
T128-1810	18	1.0	37	112	14	11.2	110.60
T128-1812	18	1.25	37	112	14	11.2	110.60
T128-1815	18	1.5	37	112	14	11.2	110.60
T128-1820	18	2.0	37	112	14	11.2	110.60
T128-2010	20	1.0	37	112	14	11.2	139.11
T128-2012	20	1.25	37	112	14	11.2	139.11
T128-2015	20	1.5	37	112	14	11.2	139.11
T128-2020	20	2.0	37	112	14	11.2	139.11
T128-2115	21	1.5	38	118	16	12.5	139.10
T128-2210	22	1.0	38	118	16	12.5	143.36
T128-2212	22	1.25	38	118	16	12.5	143.36
T128-2215	22	1.5	38	118	16	12.5	143.36
T128-2220	22	2.0	38	118	16	12.5	143.36
T128-2315	23	1.5	45	130	18	14	149.16
T128-2410	24	1.0	45	130	18	14	161.28
T128-2412	24	1.25	45	130	18	14	161.28
T128-2415	24	1.5	45	130	18	14	161.28
T128-2420	24	2.0	45	130	18	14	161.28
T128-2510	25	1.0	45	130	18	14	192.14
T128-2515	25	1.5	45	130	18	14	192.14
T128-2520	25	2.0	45	130	18	14	192.14
T128-2610	26	1.0	48	138	20	16	198.34
T128-2615	26	1.5	48	138	20	16	198.34
T128-2710	27	1.0	48	138	20	16	204.71
T128-2715	27	1.5	48	138	20	16	204.71
T128-2720	27	2.0	48	138	20	16	204.71
T128-2810	28	1.0	48	138	20	16	228.34
T128-2815	28	1.5	48	138	20	16	228.34

CAPITAL


CUTTING TOOLS



GUN NOSE TAPS - METRIC FINE

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	l_2	l_1	d_1	a	\$ ea.
T128-2820	28	2.0	48	138	20	16	228.34
T128-3010	30	1.0	48	138	20	16	220.96
T128-3015	30	1.5	48	138	20	16	220.96
T128-3020	30	2.0	48	138	20	16	220.97
T128-3025	30	2.5	48	138	20	16	220.97
T128-3030	30	3.0	48	138	20	16	220.97
T128-3210	32	1.0	51	151	22.4	18	226.66
T128-3215	32	1.5	51	151	22.4	18	226.66
T128-3220	32	2.0	51	151	22.4	18	226.66
T128-3310	33	1.0	51	151	22.4	18	245.61
T128-3315	33	1.5	51	151	22.4	18	245.61
T128-3320	33	2.0	51	151	22.4	18	245.61
T128-3330	33	3.0	51	151	22.4	18	245.61
T128-3410	34	1.0	57	162	25	20	251.24
T128-3415	34	1.5	57	162	25	20	251.24
T128-3515	35	1.5	57	162	25	20	253.95
T128-3610	36	1.0	57	162	25	20	256.84
T128-3615	36	1.5	57	162	25	20	256.84
T128-3620	36	2.0	57	162	25	20	256.84
T128-3630	36	3.0	57	162	25	20	256.84
T128-3810	38	1.0	60	170	28	22.4	298.60
T128-3815	38	1.5	60	170	28	22.4	298.60
T128-3820	38	2.0	60	170	28	22.4	298.60
T128-3910	39	1.0	60	170	28	22.4	298.60
T128-3915	39	1.5	60	170	28	22.4	298.60
T128-3920	39	2.0	60	170	28	22.4	298.60
T128-3930	39	3.0	60	170	28	22.4	298.60
T128-4010	40	1.0	60	170	28	22.4	323.75
T128-4015	40	1.5	60	170	28	22.4	323.75
T128-4020	40	2.0	60	170	28	22.4	323.75
T128-4210	42	1.0	60	170	28	22.4	334.64
T128-4215	42	1.5	60	170	28	22.4	334.64




GUN NOSE TAPS - METRIC FINE
HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	l_2	l_1	d_1	a	\$ ea.
T128-4220	42	2.0	60	170	28	22.4	334.64
T128-4230	42	3.0	60	170	28	22.4	334.64
T128-4510	45	1.0	67	187	31.5	25	344.35
T128-4515	45	1.5	67	187	31.5	25	344.35
T128-4520	45	2.0	67	187	31.5	25	344.35
T128-4530	45	3.0	67	187	31.5	25	344.35
T128-4810	48	1.0	67	187	31.5	25	353.58
T128-4815	48	1.5	67	187	31.5	25	353.58
T128-4820	48	2.0	67	187	31.5	25	353.58
T128-4830	48	3.0	67	187	31.5	25	353.58
T128-5015	50	1.5	70	200	35.5	28	372.37

CAPITAL

CUTTING TOOLS




GUN NOSE TAPS - METRIC OVERSIZE

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	l_2	l_1	d_1	a	\$ ea.
TG146-0610.6	6	1.0 + .4	19	66	6.3	5	42.67
TG146-0812.4	8	1.25 + .4	22	72	8	6.3	46.11
TG146-1015.4	10	1.5 + .4	24	80	10	8	48.54
TG146-1217.4	12	1.75 + .4	29	89	9	7.1	58.93
TG146-1420.4	14	2.0 + .4	30	95	11.2	9	66.59
TG146-1620.4	16	2.0 + .4	32	102	12.5	10	72.88
TG146-1825.4	18	2.5 + .4	37	112	14	11.2	70.17
TG146-2025.4	20	2.5 + .4	37	112	14	11.2	103.98
TG146-2430.4	24	3.0 + .4	45	130	18	14	143.98
TG146-2430.45	24	3.0 + .45	45	130	18	14	143.98
TG146-3035.4	30	3.5 + .4	48	138	20	16	239.25
TG146-3640.4	36	4.0 + .4	57	162	25	20	426.66
TG146-3640.5	36	4.0 + .5	57	162	25	20	426.66

CAPITAL

CUTTING TOOLS




GUN NOSE TAPS - METRIC **LEFT HAND**

HIGH SPEED STEEL - GROUND THREAD

Code	Size	Pitch	l_2	l_1	d_1	a	\$ ea.
T138-0607	6.0	0.75	19	66	6.3	5	76.73
T138-0810	8.0	1.0	19	69	8	6.3	79.18
T138-1012	10	1.25	20	76	10	8	91.10
T138-1110	11	1.0	22	82	8	6.3	131.87
T138-1212	12	1.25	24	84	9	7.1	115.08
T138-1215	12	1.5	24	84	9	7.1	124.68
T138-1415	14	1.5	25	90	11.2	9	129.45
T138-2015	20	1.5	37	112	14	11.2	172.61
T138-2215	22	1.5	38	118	16	12.5	201.38
T138-3020	30	2.0	48	138	20	16	366.79
T138-3030	30	3.0	48	138	20	16	366.79

CAPITAL

CUTTING TOOLS




GUN NOSE TAPS - UNC

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	l_2	l_1	d_1	a	\$ ea.
T208-0164	1	64	8	45	2.92	2.3	45.83
T208-0256	2	56	9	46	2.92	2.3	35.54
T208-0348	3	48	9	46	2.92	2.4	31.80
T208-0440	4	40	11	48	3.15	2.5	21.40
T208-0540	5	40	11	48	3.15	2.5	17.13
T208-0632	6	32	13	50	3.55	2.8	13.90
T208-0832	8	32	13	53	4.5	3.55	15.44
T208-1024	10	24	16	58	5	4	14.06
T208-1224	12	24	17	62	5.6	4.5	16.28
T208-2820	1/4	20	19	66	6.3	5	13.54
T208-3018	5/16	18	22	72	8	6.3	14.58
T208-3216	3/8	16	24	80	10	8	17.76
T208-3414	7/16	14	25	85	8	6.3	28.93
T208-3613	1/2	13	29	89	9	7.1	32.08
T208-3812	9/16	12	30	95	11.2	9	50.85
T208-4011	5/8	11	32	102	12.5	10	50.85
T208-4211	11/16	11	37	112	14	11.2	64.37
T208-4410	3/4	10	37	112	14	11.2	71.70
T208-4809	7/8	9	38	118	16	12.5	94.01
T208-5208	1"	8	45	130	18	14	115.89
T208-5407	1.1/8	7	48	138	20	16	191.14
T208-5607	1.1/4	7	51	151	22.4	18	220.31
T208-5806	1.3/8	6	57	162	25	20	296.87
T208-6006	1.1/2	6	60	170	28	22.4	334.52
T208-6404	1.3/4	5	67	187	31.5	25	415.88
T208-6804	2"	4.1/2	70	200	35.5	28	507.99

CAPITAL

CUTTING TOOLS




GUN NOSE TAPS - UNF

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	l_2	l_1	d_1	a	\$ ea.
T228-0080	0	80	9	46	2.92	2.4	66.44
T228-0172	1	72	9	46	2.92	2.4	66.44
T228-0264	2	64	9	46	2.92	2.4	66.44
T228-0356	3	56	9	46	2.92	2.4	17.89
T228-0448	4	48	11	48	3.15	2.5	17.52
T228-0544	5	44	11	48	3.15	2.5	17.52
T228-0640	6	40	13	50	3.55	2.8	17.13
T228-0836	8	36	13	53	4.5	3.55	17.13
T228-1032	10	32	16	58	5	4	14.22
T228-1228	12	28	17	62	5.6	4.5	16.50
T228-2828	1/4	28	19	66	6.3	5	13.71
T228-3024	5/16	24	22	72	8	6.3	14.77
T228-3224	3/8	24	24	80	10	8	19.93
T228-3420	7/16	20	25	85	8	6.3	28.93
T228-3620	1/2	20	29	89	9	7.1	32.08
T228-3818	9/16	18	30	95	11.2	9	55.67
T228-4018	5/8	18	32	102	12.5	10	50.85
T228-4416	3/4	16	37	112	14	11.2	71.84
T228-4814	7/8	14	38	118	16	12.5	95.99
T228-5212	1"	12	45	130	18	14	116.47
T228-5214	1" UNS	14	45	130	18	14	139.15
T228-5312	1.1/16	12	48	138	20	16	183.20
T228-5412	1.1/8	12	48	138	20	16	191.89
T228-5512	1.3/16	12	48	138	20	16	200.24
T228-5612	1.1/4	12	51	151	22.4	18	206.81
T228-5712	1.5/16	12	51	151	22.4	18	228.14
T228-5812	1.3/8	12	57	162	25	20	250.23
T228-5912	1.7/16	12	57	162	25	20	255.30
T228-6012	1.1/2	12	60	170	28	22.4	268.13
T228-6112	1.9/16	12	60	170	28	22.4	341.10
T228-6212	1.5/8	12	60	170	28	22.4	384.37
T228-6412	1.3/4	12	67	187	31.5	25	465.54
T228-6612	1.7/8	12	67	187	31.5	25	473.90
T228-6812	2"	12	70	200	35.5	28	480.31

CAPITAL

CUTTING TOOLS




GUN NOSE TAPS - UNEF

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	l_2	l_1	d_1	a	\$ ea.
T248-2832	1/4	32	19	66	6.3	5	33.50
T248-3032	5/16	32	22	72	8	6.3	37.41
T248-3232	3/8	32	24	80	10	8	42.23
T248-3428	7/16	28	25	85	8	6.3	45.63
T248-3628	1/2	28	29	89	9	7.1	55.04
T248-3824	9/16	24	30	95	11.2	9	89.61
T248-4024	5/8	24	32	102	12.5	10	66.21
T248-4224	11/16	24	37	112	14	11.2	75.80
T248-4420	3/4	20	37	112	14	11.2	78.07
T248-4620	13/16	20	38	118	16	12.5	175.17
T248-4820	7/8	20	38	118	16	12.5	181.13
T248-5020	15/16	20	45	130	18	14	185.11
T248-5220	1"	20	45	130	18	14	126.55
T248-5318	1.1/16	18	48	138	20	16	214.66
T248-5418	1.1/8	18	48	138	20	16	222.49
T248-5518	1.3/16	18	48	138	20	16	228.46
T248-5618	1.1/4	18	51	151	22.4	18	235.50
T248-5718	1.5/16	18	51	151	22.4	18	249.96
T248-5818	1.3/8	18	57	162	25	20	272.98
T248-5918	1.7/16	18	57	162	25	20	290.75
T248-6018	1.1/2	18	60	170	28	22.4	300.57

CAPITAL

CUTTING TOOLS




GUN NOSE TAPS - 8 UN SERIES

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	l_2	l_1	d_1	a	\$ ea.
T268-5408	1.1/8	8	48	138	20	16	157.27
T268-5608	1.1/4	8	51	151	22.4	18	173.08
T268-5808	1.3/8	8	57	162	25	20	225.00
T268-6008	1.1/2	8	60	170	28	22.4	258.12
T268-6208	1.5/8	8	60	170	28	22.4	403.36
T268-6408	1.3/4	8	67	187	31.5	25	471.89
T268-6608	1.7/8	8	67	187	31.5	25	478.62
T268-6808	2"	8	70	200	35.5	28	504.22
T268-7208	2.1/4	8	70	200	35.5	28	710.76
T268-7608	2.1/2	8	70	200	35.5	28	845.65
T268-8008	2.3/4	8	70	200	35.5	28	920.91
T268-8408	3"	8	70	200	35.5	28	964.51

CAPITAL

CUTTING TOOLS




GUN NOSE TAPS - BSW

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	l_2	l_1	d_1	a	\$ ea.
T308-2440	1/8	40	11	48	3.15	2.5	21.29
T308-2532	5/32	32	13	53	4	3.15	20.55
T308-2624	3/16	24	16	58	5	4	16.86
T308-2724	7/32	24	18	64	6	4	16.86
T308-2820	1/4	20	19	66	6.3	5	14.33
T308-3018	5/16	18	22	72	8	6.3	15.37
T308-3216	3/8	16	24	80	10	8	20.94
T308-3414	7/16	14	25	85	8	6.3	30.26
T308-3612	1/2	12	29	89	9	7.1	33.58
T308-3812	9/16	12	30	95	11.2	9	58.19
T308-4011	5/8	11	32	102	12.5	10	54.12
T308-4211	11/16	11	35	107	14	11.2	75.70
T308-4410	3/4	10	37	112	14	11.2	75.70
T308-4610	13/16	10	38	118	16	12.5	96.01
T308-4809	7/8	9	38	118	16	12.5	96.01
T308-5008	15/16	9	42	126	18	14	116.49
T308-5208	1"	8	45	130	18	14	116.49
T308-5407	1.1/8	7	48	138	20	16	173.30
T308-5607	1.1/4	7	51	151	22.4	18	222.41
T308-5806	1.3/8	6	57	162	25	20	295.09
T308-6006	1.1/2	6	60	170	28	22.4	337.19
T308-6205	1.5/8	5	60	170	28	22.4	360.44

CAPITAL

CUTTING TOOLS



GUN NOSE TAPS - BSF

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	l_2	l_1	d_1	a	\$ ea.
T328-2632	3/16	32	16	58	5	4	23.22
T328-2826	1/4	26	19	66	6.3	5	21.08
T328-3022	5/16	22	22	72	8	6.3	23.22
T328-3220	3/8	20	24	80	10	8	31.63
T328-3418	7/16	18	25	85	8	6.3	37.20
T328-3616	1/2	16	29	89	9	7.1	44.86
T328-3816	9/16	16	30	95	11.2	9	62.30
T328-4014	5/8	14	32	102	12.5	10	68.75
T328-4412	3/4	12	37	112	14	11.2	99.23
T328-4811	7/8	11	42	124	18	14	115.84
T328-5210	1"	10	45	130	18	14	143.34
T328-5409	1.1/8	9	48	138	20	16	177.55
T328-5609	1.1/4	9	51	151	22.4	18	227.25
T328-5808	1.3/8	8	57	162	25	20	302.03
T328-6008	1.1/2	8	60	170	28	22.4	341.18


GUN NOSE TAPS - BSB

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	l_2	l_1	d_1	a	\$ ea.
T348-2826	1/4	26	19	66	6.3	5	17.24
T348-3026	5/16	26	22	72	8	6.3	31.78
T348-3226	3/8	26	24	80	10	8	31.78
T348-3426	7/16	26	25	85	8	6.3	47.61
T348-3626	1/2	26	29	89	9	7.1	56.77
T348-3826	9/16	26	30	95	11.2	9	62.22
T348-4026	5/8	26	32	102	12.5	10	62.22
T348-4226	11/16	26	34	107	12.5	10	100.42
T348-4426	3/4	26	37	112	14	11.2	106.24
T348-4626	13/16	26	38	118	16	12.5	133.69
T348-4826	7/8	26	42	124	18	14	137.57
T348-5026	15/16	26	45	130	18	14	154.88
T348-5226	1"	26	45	130	18	14	159.95
T348-5426	1.1/8	26	48	138	20	16	215.01
T348-5626	1.1/4	26	51	151	22.4	18	257.84

CAPITAL

CUTTING TOOLS



GUN NOSE TAPS - BSP

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	l_2	l_1	d_1	a	\$ ea.
T408-2428	1/8	28	15	59	8	6.3	25.61
T408-2819	1/4	19	19	67	10	8	35.02
T408-3219	3/8	19	21	75	12.5	10	45.25
T408-3614	1/2	14	26	87	16	12.5	71.84
T408-4014	5/8	14	26	91	18	14	98.84
T408-4414	3/4	14	28	96	20	16	100.31
T408-5211	1"	11	33	109	25	20	157.29
T408-5611	1.1/4	11	36	119	31.5	25	277.66
T408-6011	1.1/2	11	37	125	35.5	28	311.31


GUN NOSE TAPS - "G" BSP

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	l_2	l_1	d_1	a	\$ ea.
T428-2428	1/8	28	15	59	8	6.3	25.61
T428-2819	1/4	19	19	67	10	8	35.02
T428-3219	3/8	19	21	75	12.5	10	45.25
T428-3614	1/2	14	26	87	16	12.5	71.84
T428-4014	5/8	14	26	91	18	14	98.84
T428-4414	3/4	14	28	96	20	16	100.31
T428-4814	7/8	14	29	102	22.4	18	211.89
T428-5211	1"	11	33	109	25	20	157.29
T428-5611	1.1/4	11	36	119	31.5	25	277.66
T428-6011	1.1/2	11	37	125	35.5	28	311.31

CAPITAL

CUTTING TOOLS



GUN NOSE TAPS - BA

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	l_2	l_1	d_1	a	\$ ea.
T508-0025	0	25.38	19	66	6.3	5	32.44
T508-0128	1	28.25	17	62	5.6	4.5	42.86
T508-0231	2	31.36	16	58	5	4	32.44
T508-0334	3	34.84	13	53	4.5	3.55	40.73
T508-0438	4	38.46	13	50	3.55	2.8	40.73
T508-0543	5	43.1	11	48	3.15	2.5	42.80
T508-0647	6	47.85	9.5	44.5	2.8	2.24	42.80
T508-0752	7	52.91	9.5	44.5	2.8	2.24	56.26
T508-0859	8	59.17	9.5	44.5	2.8	2.24	56.26
T508-0964	9	64.94	8	41	2.5	2	55.55
T508-1072	10	72.46	8	41	2.5	2	63.68
T508-1290	12	90.91	7	40	2.5	2	66.71

GUN NOSE TAPS - PG

HIGH SPEED STEEL - GROUND THREAD

Code	Size	TPI	l_2	l_1	d_1	a	\$ ea.
T548-0720	PG-7	20	29	89	9	7.1	53.14
T548-0918	PG-9	18	32	102	12.5	10	58.85
T548-1118	PG-11	18	37	112	14	11.2	69.50
T548-1318	PG-13.5	18	37	112	14	11.2	90.52
T548-1618	PG-16	18	38	118	16	12.5	112.22
T548-2116	PG-21	16	48	138	20	16	130.37
T548-2916	PG-29	16	60	170	28	22.4	226.38
T548-3616	PG-36	16	67	187	31.5	25	313.58
T548-4216	PG-42	16	70	200	35.5	28	420.80
T548-4816	PG-48	16	70	200	40	31.5	565.82