

CAPITAL

CUTTING TOOLS



SCREW SLOTTING SAWS

Code	O/D	Width	Bore	Teeth	\$ ea.
S510-1006	1.3/4	0.006	5/8	90	80.11
S510-1008	1.3/4	0.008	5/8	90	80.11
S510-1010	1.3/4	0.010	5/8	90	68.11
S510-1012	1.3/4	0.012	5/8	90	68.11
S510-1014	1.3/4	0.014	5/8	90	68.11
S510-1016	1.3/4	0.016	5/8	90	56.52
S510-1018	1.3/4	0.018	5/8	90	56.52
S510-1020	1.3/4	0.020	5/8	90	56.52
S510-1023	1.3/4	0.023	5/8	90	56.52
S510-1025	1.3/4	0.025	5/8	90	56.52
S510-1028	1.3/4	0.028	5/8	90	56.52
S510-1032	1.3/4	0.032	5/8	90	56.52
S510-1035	1.3/4	0.035	5/8	90	56.52
S510-1040	1.3/4	0.040	5/8	90	56.52
S510-1045	1.3/4	0.045	5/8	90	56.52
S510-1051	1.3/4	0.051	5/8	90	56.52
S510-1057	1.3/4	0.057	5/8	90	56.52
S510-1064	1.3/4	0.064	5/8	90	69.60
S510-1072	1.3/4	0.072	5/8	90	69.60
S510-1081	1.3/4	0.081	5/8	90	77.74
S510-1091	1.3/4	0.091	5/8	90	77.74
S510-1102	1.3/4	0.102	5/8	90	85.52
S510-1114	1.3/4	0.114	5/8	90	85.52

Code	O/D	Width	Bore	Teeth	\$ ea.
S510-3006	2.1/4	0.006	5/8	60	86.41
S510-3008	2.1/4	0.008	5/8	60	86.41
S510-3010	2.1/4	0.010	5/8	60	86.41
S510-3012	2.1/4	0.012	5/8	60	86.41
S510-3014	2.1/4	0.014	5/8	60	86.41
S510-3016	2.1/4	0.016	5/8	60	86.41
S510-3018	2.1/4	0.018	5/8	60	86.41
S510-3020	2.1/4	0.020	5/8	60	86.41
S510-3023	2.1/4	0.023	5/8	60	86.41
S510-3025	2.1/4	0.025	5/8	60	86.41
S510-3028	2.1/4	0.028	5/8	60	86.41
S510-3032	2.1/4	0.032	5/8	60	86.41
S510-3035	2.1/4	0.035	5/8	60	86.41
S510-3040	2.1/4	0.040	5/8	60	86.41
S510-3045	2.1/4	0.045	5/8	60	86.41
S510-3051	2.1/4	0.051	5/8	60	86.41
S510-3057	2.1/4	0.057	5/8	60	86.41
S510-3064	2.1/4	0.064	5/8	60	86.41
S510-3072	2.1/4	0.072	5/8	60	86.41
S510-3081	2.1/4	0.081	5/8	60	86.41
S510-3091	2.1/4	0.091	5/8	60	86.41
S510-3102	2.1/4	0.102	5/8	60	86.41
S510-3114	2.1/4	0.114	5/8	60	86.41

CAPITAL

CUTTING TOOLS



SCREW SLOTTING SAWS

Code	O/D	Width	Bore	Teeth	\$ ea.
S510-5006	2.3/4	0.006	1"	72	93.58
S510-5008	2.3/4	0.008	1"	72	93.58
S510-5010	2.3/4	0.010	1"	72	93.58
S510-5012	2.3/4	0.012	1"	72	93.58
S510-5014	2.3/4	0.014	1"	72	73.92
S510-5016	2.3/4	0.016	1"	72	73.92
S510-5018	2.3/4	0.018	1"	72	73.92
S510-5020	2.3/4	0.020	1"	72	73.92
S510-5023	2.3/4	0.023	1"	72	73.92
S510-5025	2.3/4	0.025	1"	72	73.92
S510-5028	2.3/4	0.028	1"	72	73.92
S510-5032	2.3/4	0.032	1"	72	73.92
S510-5035	2.3/4	0.035	1"	72	73.92
S510-5036	2.3/4	0.036	1"	72	73.92

Code	O/D	Width	Bore	Teeth	\$ ea.
S510-5040	2.3/4	0.040	1"	72	73.92
S510-5045	2.3/4	0.045	1"	72	73.92
S510-5051	2.3/4	0.051	1"	72	73.92
S510-5057	2.3/4	0.057	1"	72	88.49
S510-5064	2.3/4	0.064	1"	72	88.49
S510-5072	2.3/4	0.072	1"	72	88.49
S510-5081	2.3/4	0.081	1"	72	88.49
S510-5091	2.3/4	0.091	1"	72	88.49
S510-5102	2.3/4	0.102	1"	72	95.68
S510-5114	2.3/4	0.114	1"	72	95.68
S510-5128	2.3/4	0.128	1"	72	110.48
S510-5144	2.3/4	0.144	1"	72	110.48
S510-5162	2.3/4	0.162	1"	72	151.17
S510-5182	2.3/4	0.182	1"	72	151.17

CAPITAL

CUTTING TOOLS



HSS SLITTING SAWS - FINE PITCH

Code	O/D	Width	Bore	Teeth	\$ ea.
S578-25135	2.1/2	1/64	1"	62	73.97
S578-25312	2.1/2	1/32	1"	62	63.00
S578-25469	2.1/2	3/64	1"	62	60.89
S578-25625	2.1/2	1/16	1"	62	72.49
S578-25938	2.1/2	3/32	1"	62	85.52
S578-25125	2.1/2	1/8	1"	62	92.15
S578-25156	2.1/2	5/32	1"	62	129.02
S578-25250	2.1/2	1/4	1"	62	145.07

S578-30135	3"	1/64	1"	74	71.03
S578-30312	3"	1/32	1"	74	71.03
S578-30469	3"	3/64	1"	74	89.26
S578-30625	3"	1/16	1"	74	89.26
S578-30781	3"	5/64	1"	74	100.08
S578-30938	3"	3/32	1"	74	100.04
S578-30125	3"	1/8	1"	74	115.18
S578-30156	3"	5/32	1"	74	134.98
S578-30187	3"	3/16	1"	74	159.48
S578-30218	3"	7/32	1"	74	159.48
S578-30250	3"	1/4	1"	74	159.48

S578-30301	3"	1.0mm	1"	74	87.23
------------	----	-------	----	----	--------------

S578-40135	4"	1/64	1"	100	105.24
S578-40312	4"	1/32	1"	100	93.58
S578-40469	4"	3/64	1"	100	108.72
S578-40625	4"	1/16	1"	100	108.72
S578-40781	4"	5/64	1"	100	136.29
S578-40938	4"	3/32	1"	100	136.29
S578-40109	4"	7/64	1"	100	159.48
S578-40125	4"	1/8	1"	100	159.48
S578-40156	4"	5/32	1"	100	191.37
S578-40187	4"	3/16	1"	100	223.24

Code	O/D	Width	Bore	Teeth	\$ ea.
S578-40250	4"	1/4	1"	100	260.97
S578-40401	4"	1.0mm	1"	100	110.85
S578-50312	5"	1/32	1"	124	156.59
S578-50469	5"	3/64	1"	124	156.59
S578-50625	5"	1/16	1"	124	158.18
S578-50938	5"	3/32	1"	124	191.37
S578-50125	5"	1/8	1"	124	223.24
S578-50156	5"	5/32	1"	124	263.86
S578-50187	5"	3/16	1"	124	313.14
S578-50250	5"	1/4	1"	124	363.73

S578-60312	6"	1/32	1"	150	214.57
S578-60469	6"	3/64	1"	150	221.87
S578-60625	6"	1/16	1"	150	240.67
S578-60938	6"	3/32	1"	150	254.80
S578-60125	6"	1/8	1"	150	298.65
S578-60187	6"	3/16	1"	150	353.16
S578-60250	6"	1/4	1"	150	423.52

S578-80625	8"	1/16	1"	200	487.42
S578-80938	8"	3/32	1"	200	487.42
S578-80125	8"	1/8	1"	200	531.08
S578-80157	8"	3/16	1"	200	561.65
S578-80250	8"	1/4	1"	200	598.85

S578-10625	10"	1/16	1"	250	511.20
S578-10125	10"	1/8	1"	250	573.29

S578-12625	12"	1/16	1"	300	539.02
S578-12125	12"	1/8	1"	300	616.34

CAPITAL

CUTTING TOOLS



HSS SLITTING SAWS - COARSE PITCH

Code	O/D	Width	Bore	Teeth	\$ ea.	Code	O/D	Width	Bore	Teeth	\$ ea.
S579-25135	2.1/2	1/64	1"	26	73.97	S579-50938	5"	3/32	1"	40	191.37
S579-25312	2.1/2	1/32	1"	26	63.00	S579-50125	5"	1/8	1"	40	223.24
S579-25469	2.1/2	3/64	1"	26	60.89	S579-50156	5"	5/32	1"	40	263.86
S579-25625	2.1/2	1/16	1"	26	72.49	S579-50187	5"	3/16	1"	40	313.14
S579-25938	2.1/2	3/32	1"	26	85.52	S579-50250	5"	1/4	1"	40	363.73
S579-25125	2.1/2	1/8	1"	26	92.15	S579-60312	6"	1/32	1"	44	214.57
S579-25156	2.1/2	5/32	1"	26	129.02	S579-60469	6"	3/64	1"	44	221.87
S579-25250	2.1/2	1/4	1"	26	145.07	S579-60625	6"	1/16	1"	44	240.67
S579-30135	3"	1/64	1"	30	71.03	S579-60781	6"	5/64	1"	44	240.67
S579-30312	3"	1/32	1"	30	71.03	S579-60938	6"	3/32	1"	44	254.80
S579-30469	3"	3/64	1"	30	89.26	S579-60125	6"	1/8	1"	44	298.65
S579-30625	3"	1/16	1"	30	89.26	S579-60156	6"	5/32	1"	44	348.61
S579-30781	3"	5/64	1"	30	100.08	S579-60187	6"	3/16	1"	44	353.16
S579-30938	3"	3/32	1"	30	100.04	S579-60218	6"	7/32	1"	44	423.52
S579-30125	3"	1/8	1"	30	115.18	S579-60250	6"	1/4	1"	44	423.52
S579-30156	3"	5/32	1"	30	134.98	S579-80625	8"	1/16	1"	52	433.26
S579-30187	3"	3/16	1"	30	159.48	S579-80781	8"	5/64	1"	52	487.42
S579-30218	3"	7/32	1"	30	159.48	S579-80938	8"	3/32	1"	52	487.42
S579-30250	3"	1/4	1"	30	159.48	S579-80125	8"	1/8	1"	52	531.08
S579-40135	4"	1/64	1"	36	105.24	S579-80156	8"	5/32	1"	52	531.08
S579-40312	4"	1/32	1"	36	93.58	S579-80187	8"	3/16	1"	52	531.08
S579-40469	4"	3/64	1"	36	108.72	S579-80218	8"	7/32	1"	52	580.81
S579-40625	4"	1/16	1"	36	108.72	S579-80250	8"	1/4	1"	52	634.42
S579-40781	4"	5/64	1"	36	136.29	S579-10625	10"	1/16	1"	62	511.20
S579-40938	4"	3/32	1"	36	136.29	S579-10781	10"	5/64	1"	62	511.20
S579-40109	4"	7/64	1"	36	159.48	S579-10938	10"	3/32	1"	62	511.20
S579-40125	4"	1/8	1"	36	159.48	S579-10125	10"	1/8	1"	62	529.61
S579-40156	4"	5/32	1"	36	191.37	S579-10156	10"	5/32	1"	62	603.63
S579-40187	4"	3/16	1"	36	223.24	S579-10187	10"	3/16	1"	62	725.87
S579-40250	4"	1/4	1"	36	260.97	S579-10218	10"	7/32	1"	62	769.11
S579-50312	5"	1/32	1"	40	156.59	S579-10250	10"	1/4	1"	62	835.90
S579-50469	5"	3/64	1"	40	156.59	S579-12125	12"	1/8	1"	70	1011.11
S579-50625	5"	1/16	1"	40	158.18	S579-12187	12"	3/16	1"	70	1254.44

CAPITAL

CUTTING TOOLS



HSS SLITTING SAW SETS - FINE PITCH

Code	Diameter	Sizes	\$ ea.
S578-300	3"	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4	680.34
S578-400	4"	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4	975.15
S578-500	5"	1/16, 1/8, 5/32, 3/16, 1/4	1012.59
S578-600	6"	1/16, 1/8, 3/16, 1/4	901.50

HSS SLITTING SAW SETS - COARSE PITCH

Code	Diameter	Sizes	\$ ea.
S579-300	3"	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4	680.34
S579-400	4"	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4	975.15
S579-500	5"	1/16, 1/8, 5/32, 3/16, 1/4	1012.59
S579-600	6"	1/16, 1/8, 3/16, 1/4	901.50

SLITTING SAW SETS INCLUDE ONE SAW PER SIZE LISTED

CAPITAL

CUTTING TOOLS



SINGLE ANGLE CUTTERS - STRAIGHT TOOTH HSS

Code	O/D	Angle	Width	Bore	Teeth	\$ ea.
S49R6-30045	3"	45°	1/2	1"	20	361.54
S49R6-30060	3"	60°	1/2	1"	20	395.93
S49R6-3AB45	3"	45°	5/8	1"	20	395.93
S49R6-3AB60	3"	60°	5/8	1"	20	395.93
S49R6-3AC60	3"	60°	3/4	1"	20	395.93
S49R6-40050	4"	45°	3/4	1"	20	557.89
S49R6-40060	4"	60°	3/4	1"	20	557.89

LEFT HAND SINGLE ANGLE CUTTERS - STRAIGHT TOOTH HSS


Code	O/D	Angle	Width	Bore	Teeth	\$ ea.
S49L6-30045	3"	45°	1/2	1"	20	361.54
S49L6-30060	3"	60°	1/2	1"	20	395.93
S49L6-3AB45	3"	45°	5/8	1"	20	395.93
S49L6-3AB60	3"	60°	5/8	1"	20	395.93
S49L6-3AC60	3"	60°	3/4	1"	20	395.93
S49L6-40050	4"	45°	3/4	1"	20	557.89
S49L6-40060	4"	60°	3/4	1"	20	557.89

EQUAL ANGLE CUTTERS - STRAIGHT TOOTH HSS

Code	O/D	Angle	Width	Bore	Teeth	\$ ea.
S497-30045	3"	45°	1/2	1"	24	455.93
S497-30060	3"	60°	1/2	1"	20	455.93
S497-30090	3"	90°	1/2	1"	20	455.93
S497-3AA60	3"	60°	5/8	1"	20	471.93
S497-3AA90	3"	90°	5/8	1"	20	471.93
S497-3AB60	3"	60°	3/4	1"	18	483.91
S497-3AB90	3"	90°	3/4	1"	18	483.91
S497-40045	4"	45°	3/4	1"	20	585.91
S497-40060	4"	60°	3/4	1"	20	585.91
S497-40090	4"	90°	3/4	1"	20	585.91

CAPITAL

CUTTING TOOLS



SIDE & FACE CUTTERS - STRAIGHT TOOTH HSS

Code	Diameter	Width	Bore	\$ ea.
505S-25187	2.5"	3/16	1"	208.68
505S-25250	2.5"	1/4	1"	217.06
505S-25312	2.5"	5/16	1"	228.91
505S-25375	2.5"	3/8	1"	237.11
505S-25437	2.5"	7/16	1"	244.24
505S-25500	2.5"	1/2	1"	251.34
505S-25625	2.5"	5/8	1"	265.56
505S-30187	3"	3/16	1"	239.28
505S-30250	3"	1/4	1"	241.45
505S-30312	3"	5/16	1"	252.23
505S-30375	3"	3/8	1"	258.68
505S-30437	3"	7/16	1"	265.13
505S-30500	3"	1/2	1"	278.07
505S-30562	3"	9/16	1"	286.90
505S-30625	3"	5/8	1"	288.85
505S-30750	3"	3/4	1"	295.55
505S-40187	4"	3/16	1"	291.00
505S-40250	4"	1/4	1"	308.25
505S-40312	4"	5/16	1"	331.97
505S-40375	4"	3/8	1"	344.89
505S-40437	4"	7/16	1"	362.15
505S-40500	4"	1/2	1"	370.77
505S-40562	4"	9/16	1"	393.61
505S-40625	4"	5/8	1"	409.57

Code	Diameter	Width	Bore	\$ ea.
505S-40750	4"	3/4	1"	446.55
505S-40100	4"	1"	1"	485.08
505S-50187	5"	3/16	1"	385.66
505S-50250	5"	1/4	1"	400.96
505S-50312	5"	5/16	1"	478.99
505S-50375	5"	3/8	1"	489.34
505S-50437	5"	7/16	1"	543.01
505S-50500	5"	1/2	1"	538.91
505S-50562	5"	9/16	1"	573.82
505S-50625	5"	5/8	1"	625.99
505S-50750	5"	3/4	1"	680.53
505S-50875	5"	7/8	1"	744.55
505S-50100	5"	1"	1"	796.71
505S-60187	6"	3/16	1"	549.23
505S-60250	6"	1/4	1"	562.62
505S-60312	6"	5/16	1"	599.24
505S-60375	6"	3/8	1"	625.13
505S-60437	6"	7/16	1"	687.61
505S-60500	6"	1/2	1"	687.61
505S-60562	6"	9/16	1"	716.09
505S-60625	6"	5/8	1"	756.63
505S-60750	6"	3/4	1"	877.35
505S-60875	6"	7/8	1"	1045.47
505S-60100	6"	1"	1"	1047.63



SIDE & FACE CUTTERS - STAGGERED TOOTH - COBALT

Code	Diameter	Width	Bore	\$ ea.
507S-30250	3"	1/4	1"	275.05
507S-30312	3"	5/16	1"	282.17
507S-30375	3"	3/8	1"	301.15
507S-30500	3"	1/2	1"	350.43
507S-30625	3"	5/8	1"	368.43
507S-40250	4"	1/4	1"	378.68
507S-40312	4"	5/16	1"	399.94
507S-40375	4"	3/8	1"	416.03
507S-40500	4"	1/2	1"	446.23
507S-40625	4"	5/8	1"	482.84
507S-40750	4"	3/4	1"	514.99

Code	Diameter	Width	Bore	\$ ea.
507S-50250	5"	1/4	1"	479.78
507S-50312	5"	5/16	1"	501.31
507S-50375	5"	3/8	1"	519.28
507S-50500	5"	1/2	1"	564.33
507S-50625	5"	5/8	1"	616.52
507S-60250	6"	1/4	1"	638.54
507S-60312	6"	5/16	1"	663.63
507S-60375	6"	3/8	1"	702.74
507S-60500	6"	1/2	1"	756.62
507S-60625	6"	5/8	1"	838.53